

T and TV Expansion Tanks


Cash Acme's T Series Expansion Tanks are designed for heating systems applications.


Cash Acme's TV Series Floor Standing Expansion Tanks are designed for heating systems applications.

- Welded Construction: Ensures long and reliable service.
- Heavy duty Butyl diaphragm and epoxy paint finish: Long lasting and resistant to external elements.
- Provides place for expanding water: *Eliminates* damage to the boiler and piping.
- The tank connection has a plastic sleeve: *Protects against corrosion.*
- All models are factory precharged to 12 psi: Efficient and economical.
- Gives water a place to flow when thermal expansion occurs: Eliminates costly and serious effects such as noisy water hammering pipes and damaged connections.
- · Corrosion resistant base.



TYPICAL INSTALLATION











T and TV Expansion Tanks



MODELS/SIZES



| In-Line Models | Capacity (gal) | Acceptance Volume (gal) | Conn. NPTM | Max. Work. Pressure (psig) | Factory Precharge | Diameter | Height | Weight |
|-------------------|----------------|----------------------------|------------|-------------------------------|----------------------|----------|---------|--------|
| T-15 | 2.0 | 1.50 | 1/2" | 100 | 12 | 8-3/8" | 12-1/2" | 5.0 |
| T-30 | 5.0 | 3.75 | 1/2" | 100 | 12 | 11-3/8" | 14-3/4" | 8.0 |
| T-60 | 7.0 | 4.60 | 1/2" | 100 | 12 | 11-3/8" | 21-1/8" | 11.0 |
| T-90 | 15.0 | 10.50 | 1/2" | 100 | 12 | 15-3/8" | 15-3/4" | 22.0 |
| Stand Models | | | | | | | | |
| TV-30 | 15.0 | 10.5 | 1/2" | 100 | 12 | 15-3/8" | 24-3/4" | 25.0 |
| TV-40 | 20.0 | 13.5 | 1/2" | 100 | 12 | 15-3/8" | 32-3/4" | 32.0 |
| TV-60 | 36.0 | 21.0 | 1/2" | 100 | 12 | 20" | 32-5/8" | 45.0 |
| TV-90 | 52.0 | 34.0 | 1/2" | 100 | 12 | 23-3/8" | 38-5/8" | 80.0 |
| TV-160 | 96.0 | 64.0 | 1/2" | 100 | 12 | 23-3/8" | 59" | 99.0 |