





ProductSentinel X100Page 1 of 7Code:Version: 2Date Prepared: January 2011

#### 1. PRODUCT AND COMPANY INFORMATION

Identification of the substance/preparation Sentinel X100

Use of the substance/preparation Scale & corrosion inhibitor for central heating systems

Company Identification

Manufactured by

Douglas Products and Packaging
Address and Telephone No.

Douglas Products and Packaging
1550 East Old 210 Highway

Liberty

Missiouri, 64068

USA

Telephone for further information: (816)-781-4250 (8am - 5pm)
Emergency Phone No. Chemtrec (800) 424-9300 (24/7)

Fax: (816)-781-1043

#### 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

Appearance and odour:

Appearance Colourless to yellow liquid

Odour Mild odour

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### Statements of Hazard

CAUTION: MAY BE HARMFUL IF SWALLOWED MAY CAUSE SKIN, EYE AND RESPIRATORY TRACT IRRITATION

Xn - Harmful



#### **Potential Health Effects**

Primary routes of entry by skin contact and ingestion.

Contains ingredients that may be harmful by inhalation and if swallowed and may be irritating to skin, eyes and the respiratory system. Also contains an oxidising ingredient.

Consideration of the hazards of the mixture as supplied suggest that the potential health effects will actually be less dangerous.

Eye contact - prolonged or repeated exposure may cause transient irritation. Skin contact - prolonged or repeated exposure may cause transient irritation. Inhalation - prolonged or repeated exposure may cause transient irritation. Ingestion of large amounts may cause slight gastrointestinal irritation.







ProductSentinel X100Page 2 of 7Code:Version: 2Date Prepared: January 2011

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

# Chemical description

Neutral solution of inorganic and organic corrosion inhibitors and salts.

# Hazardous component(s)

Ingredient	CAS Number	EC Number	% by weight	Symbol	Risk Phrases
Sodium nitrate	7631-99-4	231-554-3	< 5	0	8-22-36/37/38
Sodium molybdate	7631-95-0	231-551-7	< 5	None	None - has PEL & TLV

Please refer to section 16 (R phrases used in Section 3), where the full text of each relevant R phrase is listed.

#### 4. FIRST-AID MEASURES

Inhalation Remove patient to fresh air, allow to rest and keep warm.

Seek medical attention if symptoms develop.

Skin contact Wash with plenty of water. Remove any contaminated

clothing and launder before reuse. Seek medical attention if

symptoms develop.

Eye contact Flush immediately with plenty of water for at least 15

minutes, keeping eyelids open. Seek medical attention if

symptoms develop.

Ingestion DO NOT induce vomiting! Rinse mouth out with water, but

do not give anything to drink. Seek medical attention if

symptoms develop.

Personal precautions Ensure that those giving first aid treatment do not get

contaminated by product spills, etc. Wear suitable protective clothing, gloves and eye protection. See also

Section 8.

# 5. FIRE-FIGHTING MEASURES

- Suitable Water, foam, carbon dioxide, dry powder.

- Not to be used None.

Special exposure hazards

Oxides of carbon and nitrogen evolved in fire.

Special protective equipment for fire fighters Protective clothing and self-contained breathing apparatus.

Flash point Not flammable.







ProductSentinel X100Page 3 of 7Code:Version: 2Date Prepared: January 2011

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear suitable protective clothing, gloves and eye protection.

See Section 8 for details. Keep unnecessary personnel away. Prevent from entering sewers or the immediate environment.

Environmental precautions Prevent from entering sewers or the immediate environment Accidental release of large quantities into the aquatic

environment may harm aquatic organisms. In case of large

spill, inform local authorities.

Methods for cleaning up

- on soil Absorb onto inert material such as earth, soil or specialist

absorbent. Collect and place into sealed container for safe

disposal (see Section 13).

on water None known.

#### 7. HANDLING AND STORAGE

Handling Avoid contact with skin and eyes. Do not ingest or inhale

vapours or spray.

Storage Keep in original containers. Keep container tightly closed.

Store in cool, well ventilated area.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Recommended engineering controls Ensure good ventilation. Arrange for eye wash possibility.

Control parameters: Molybdenum compounds (as Mo) soluble

OSHA PEL - 5 mg/m<sup>3</sup> 8 hr TWA ACGIH TLV - 5 mg/m<sup>3</sup> 8 hr TWA

Monitoring procedures Not required

Personal protection

Always check applicability with your supplier of protective equipment.

- Respiratory protection In case of insufficient ventilation, wear full face or half face

mask fitted with filter suitable for liquid particulates.

Skin protection Laboratory coat or overalls if splashing or repeated contact

with product is likely.

Eye protection Chemical goggles or full face visor.

- Hand protection Plastic, impervious gloves for protection against

unintentional short-term contact. However, since glove performance is governed by many variables, it is strongly recommend that specialist advice on the selection and use of

protective gloves is sought.







ProductSentinel X100Page 4 of 7Code:Version: 2Date Prepared: January 2011

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colourless to yellow liquid

Odour Mild pH (concentrated product) 6.4

Melting point (°C) Approx 0 [32°F]
Boiling point/range (°C) Approx 100 [212°F]
Flash point (Pensky Martens) (°C) Not flammable

Explosive properties

Oxidising properties

None

Density at 20°C (kg/m³)

1103

Solubility in water (% by weight) Completely miscible

Note: These are typical values and do not constitute a specification.

#### 10. STABILITY AND REACTIVITY

Stability Stable under normal conditions of use.

Conditions to avoid Protect from freezing.

Materials to avoid None known.

Hazardous decomposition products

Oxides of carbon and nitrogen evolved in fire.

### 11. TOXICOLOGICAL INFORMATION

Test data: No data available on product.

Calculated from ingredient data:

- Oral LD<sub>50</sub> rat (mg/kg) > 2000 Not considered hazardous in EU.

Exposure hazard:

- Inhalation Prolonged or repeated exposure may cause transient

irritation.

- Skin contact Prolonged or repeated exposure may cause transient

irritation.

Eye contact
 Prolonged or repeated exposure may cause transient

irritation.

- Ingestion Likely symptoms are slight gastrointestinal irritation.

Other data None available.







ProductSentinel X100Page 5 of 7Code:Version: 2Date Prepared: January 2011

#### 12. ECOLOGICAL INFORMATION

Aquatic toxicity: No data available on product.

Calculated data based on ingredients

- Fathead minnow (mg/l) LC<sub>50</sub> 96 Hr: 3680

NOEL: 1680

- Daphnia Magna (mg/l) LC50 48 Hr: 4080

NOEL: 2100

# Persistence and degradability

COD (mgO2/g)
BOD 5 (mgO2/g)
BOD 28 (mgO2/g)
Closed Bottle Test (% Degradation in 28 days)
TOC (mg C/g)
150 (calculated data)
(calculated data)
50 (calculated data)

#### Bioaccumulative potential

- Bioaccumulation Not bioaccumulating

(Refers to active component Sodium molybdate)

#### **Summary**

Environmental effects: Not classified as hazardous to the environment under the EU

classification system.

# 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

# 14. TRANSPORTATION INFORMATION

Not classified as dangerous for transport.

## 15. REGULATORY INFORMATION

The label shows CAUTION. Keep Out of Reach of Children. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of water.

Names of the ingredients given on the label: Sodium molybdate and Sodium nitrate.

R phrases: R22, Harmful if swallowed; R36/37/38, Irritating to skin, eyes and respiratory tract.







ProductSentinel X100Page 6 of 7Code:Version: 2Date Prepared: January 2011

S phrases: S2, Keep out of the reach of children; S24/25, Avoid contact with skin and eyes; S26, In case of contact with eyes, rinse immediately with plenty of water and seek medical advice; S28, After

contact with skin, wash immediately with plenty of water.

**Inventory Status** 

TSCA All ingredients of this product are listed unless specifically

exempted.

California Proposition 65 Does not contain any chemicals known to the State of

California to cause cancer, birth defects or other

reproductive harm.

EU All ingredients of this product are listed in EINECS or ELINCS,

unless specifically exempted under EU Directive 67/548/EEC

(as amended).

Right to know classification: None are listed in CA, PA, MN, MA, MI, FL and NJ.

**Note**: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions, which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

#### 16. OTHER INFORMATION

Hazardous Material Informatio	n (HMIS)	IIS) National Fire Protection Association (NFPA)	
Health	2	2	Health
Fire	0	0	Fire
Reactivity	1	1	Instability
Personal Protection	G		NA

Health 4 Deadly 3 Extreme Danger 2 Dangerous 1 Slight hazard 0 No hazard Fire 4 < 73 °F 3 < 100 °F 2 < 200 °F 1 >200 °F 0 Will not burn Reactivity/Instability 4 - May detonate 3 Explosive 2 Unstable 1 Normally stable 0 Stable

#### EU labelling information

- Symbol(s) None required

- R-Phrase(s) None assigned

- S-Phrase(s) 2 Keep out of the reach of children

24/25 Avoid contact with skin and eyes





# Safety Data Sheet

Page 7 of 7 Date Prepared: January 2011	Sentinel X100 Version: 2	Product Code:
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice	26	
After contact with skin, wash immediately with plenty of water	28	
	2	Version number
January 2011		Date prepared
gust 2009	1 dated Au	Supersedes Version
2010 ANSI standard.	Updated to	Nature of revision
Contact with combustible material may cause fire	8	R-phrases used in Section 3
Harmful if swallowed	22	
Irritating to eyes, respiratory system and skin	36/37/38	

Based on ANSI Z400.1/Z129.1-2010 and EU Regulation 1907/2006

End of document Number of pages = 7